

	Product Information CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	
		Contact	

Part NO.	1100105194
Product Picture: (Note: Images may not be the same as the product)	Note
	CDM/CDMF pumps are new generation, high efficiency, non-self-priming vertical multistage centrifugal pumps (Abbr. as pumps). It referred to European standard, adopted entirely new industrial design, efficiency achieved MEI≥0.7. It is energy saving, low noise, environment friendly, compact design, beautiful shape, light weight, easy for service, high reliability.

Nameplate parameters

Flow	85 m³/h
Head	122 m
Efficiency	73.9 %
Speed	2900 rpm
Number of stages	6

Technology

Pump rotator speed	2900
Nameplate standards	CE
Pump version	2

Material

Impeller	304
Rubber code	P
Inlet&outlet chamber	304
Material Code	S

Installation

Connection Code	F
Maximum Pressure/Temperature (high temperature)	25 bar / 120 °C
Maximum Pressure/Temperature (low temperature)	25 bar / -15 °C
Flange Standard	DIN
Pressure Class	PN16
Inlet & outlet	DN100

Medium

Medium Temperature normal temperature	-15°C+70°C
Medium Temperature high temperature	-15°C+120°C
Maximum Environment Temperature	40°C

Structure dimension

Model picture	F Flange
Expolded view	CDMF85

 CNP 南方泵业	Product Information CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	
		Contact	

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	45KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380V
Rated Current (A)	80.8A
Energy Efficiency Level	IE3

Seal


Mechanical Seal	CDLA-22/WB1F14
-----------------	----------------

Others

Weight (kg)	407
-------------	-----


 CNP 南方泵业	Performance Curve CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	
		Contact	

The hydraulic performance curve have been tested with water at 20°C, density 1000kg/m³,and at 1bar atmospherical pressure. IS099062012 Grade 3B



 CNP 南方泵业	Pump Technical Parameters CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	
		Contact	

Rated parameters	
Pump model	CDM85-6-2
Part NO.	1100105194
Rated flow	85 m³/h
Rated head	122 m
Rated efficiency	73.9 (%)
Power (kW)	38.2 kW
NPSHr (m)	2.5
Speed (rpm)	2900
Max impeller diameter (mm)	146
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1




Q (m³/h)	H (m)
0	180
30	165
60	145
90	115
100	90

Q (m³/h)	P (kW)
0	25
30	29
60	34
90	38
100	40

Q (m³/h)	η (%)
0	0
30	45
60	70
90	75
100	65

Q (m³/h)	NPSH (m)
0	1
30	1
60	1.5
90	3
100	6

 CNP 南方泵业	Dimension Drawing CDM85-6-2	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	
		Contact	



 CNP 南方泵业	Physical picture CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	
		Contact	



 CNP 南方泵业	Order Data CDM85-6-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	
		Contact	

Pump model CDM85-6-2
Part NO. 1100105194
Product price
Quantity 1
Total price

Inquiry notes