

	Product Information CDLF15-7+CDH15-17	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/06
Project Name		Client Name	DPA
Item NO		Client Addr.	
		Contacts	Alireza
		Contact	

Part NO.	1100154565
----------	------------

Product Picture	Note
	CDLF+CDH vertical high pressure pump consists of two vertical multistage centrifugal pumps in series to form a double pump system to produce high pressure.

technology

Pump rotator speed 2900

Material

Impeller 304

Rubber code P

Material Code S

Installation

Connection Code K

Installation type card cover

Maximum Operation Pressure 50Bar

Medium

Medium Temperature normal -15~70

Medium Temperature high t -15~120

Maximum Environment Temper 40

Structure dimension

Inlet & outlet size types DN

Inlet & Outlet Diameter DN50

Rotation Direction CDLF rotates anti-clockwise viewing from motor side and CDH rotates clockwise.

Motor

Number of Motor Phase Three Phase

Protection Class IP55

Insulation Class F

Motor Power 5.5+15

Energy Efficiency Level IE2

Seal


Mechanical Seal CDLA-16/WBF14

Others


Weight of Pump

	Performance Curve CDLF15-7+CDH15-17	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/06
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

The hydraulic performance curve have been tested with Clean Water at 20°C, density 1000kg/m³, and at 1bar atmospheric pressure. ISO9906:2012 Grade 3B



	Pump Technical Parameters CDLF15-7+CDH15-17	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/06
Project Name		Client Name	DPA
Item NO		Client Addr.	
		Contacts	Alireza
		Contact	





	Structure picture CDLF15-7+CDH15-17	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/06
		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

