



	Product Information CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Part NO.	1100057172		
Product Picture: (Note: Images may not be the same as the product)		Note	
		Non-self-priming vertical immersion multistage centrifugal pump, the motor shaft is directly connected with the pump shaft through the coupling, and the impeller guide vane is made of stainless steel plate stamping and welding, in order to meet the installation depth of the sink or container, the cavity can be installed to change the depth of the pump immersion. Compact structure, easy maintenance, selectable installation depth, easy installation.	
Nameplate parameters			
Flow		32 m³/h	
Head		131 m	
Efficiency		69 %	
Speed		2900 rpm	
Number of stages		10	
Technology			
Pump rotator speed		2900	
Nameplate standards		CE	
Material			
Impeller		304	
Rubber code		P	
Material Code		S	
Medium			
Medium Temperature normal temperature		-15°C+70°C	
Medium Temperature high temperature		-15°C+105°C	
Maximum Environment Temperature		40°C	
Motor			
Number of Motor Phase		Three Phase	
Protection Class		IP55	
Insulation Class		F	
Motor Power(kW)		18.5KW	
Power Frequency(Hz)		50HZ	
Rated Voltage (V)		380V	
Rated Current (A)		34.2	
Energy Efficiency Level		IE3	
Seal			
Mechanical Seal		CDLA-22/WSF14	
Others			
Weight (kg)		187	
Structure dimension			
Explosed view		CDLK(F)32,42exploded view	


 CNP 南方泵业	Performance Curve CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	




 CNP 南方泵业	Pump Technical Parameters CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Rated parameters		
Pump model	CDLK32-100/10-2	
Part NO.	1100057172	
Rated flow	32 m³/h	
Rated head	131 m	
Rated efficiency	69 (%)	
Power (kW)	16.6 kW	
NPSHr (m)	3	
Speed (rpm)	2900	
Max impeller diameter (mm)	118	
Medium		
Pumped medium	Clean Water	
Working temperature (°C)	20	
Medium density (kg/m³)	1000	
Viscosity (mm²/s)	1	

 CNP 南方泵业	Dimension Drawing CDLK32-100/10-2	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	



 CNP 南方泵业	Explosed view CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	



 CNP 南方泵业	Physical picture CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	



 CNP 南方泵业	Order Data CDLK32-100/10-2	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Pump model CDLK32-100/10-2
Part NO. 1100057172
Product price
Quantity 1
Total price

Inquiry notes