



|                                                                                   |                                                        |              |                                     |
|-----------------------------------------------------------------------------------|--------------------------------------------------------|--------------|-------------------------------------|
|  | <b>Product Information</b><br><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfang Pump Industry Co.,Ltd (CNP) |
|                                                                                   |                                                        | Address      | Hangzhou, Zhejiang, China           |
|                                                                                   |                                                        | Contact      | 86-571-88637351                     |
|                                                                                   |                                                        | Date         | 2025/02/04                          |
|                                                                                   |                                                        | Client Name  | dieselpumpasia                      |
| <b>Project Name</b>                                                               |                                                        | Client Addr. |                                     |
| <b>Item NO</b>                                                                    |                                                        | Contacts     | dpa                                 |
|                                                                                   |                                                        | Contact      |                                     |

|                                                                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|-----------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Part NO.                                                                          | 1100057226                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Product Picture: (Note: Images may not be the same as the product)                |                           | Note                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|  |                           | Non-self-priming vertical immersion multistage centrifugal pump, the motor shaft is directly connected with the pump shaft through the coupling, and the impeller guide vane is made of stainless steel plate stamping and welding, in order to meet the installation depth of the sink or container, the cavity can be installed to change the depth of the pump immersion. Compact structure, easy maintenance, selectable installation depth, easy installation. |  |
| <b>Nameplate parameters</b>                                                       |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Flow                                                                              | 42 m³/h                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Head                                                                              | 32 m                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Efficiency                                                                        | 71 %                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Speed                                                                             | 2900 rpm                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Number of stages                                                                  | 2                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Technology</b>                                                                 |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Pump rotator speed                                                                | 2900                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Nameplate standards                                                               | CE                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Material</b>                                                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Impeller                                                                          | 304                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Rubber code                                                                       | P                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Material Code                                                                     | S                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Medium</b>                                                                     |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Medium Temperature normal temperature                                             | -15°C+70°C                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Medium Temperature high temperature                                               | -15°C+105°C               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Maximum Environment Temperature                                                   | 40°C                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Motor</b>                                                                      |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Number of Motor Phase                                                             | Three Phase               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Protection Class                                                                  | IP55                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Insulation Class                                                                  | F                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Motor Power(kW)                                                                   | 5.5KW                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Power Frequency(Hz)                                                               | 50HZ                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Rated Voltage (V)                                                                 | 380V                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Rated Current (A)                                                                 | 10.6                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Energy Efficiency Level                                                           | IE3                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Seal</b>                                                                       |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Mechanical Seal                                                                   | CDLA-22/WSF14             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Others</b>                                                                     |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Weight (kg)                                                                       | 74                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b>Structure dimension</b>                                                        |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Explosed view                                                                     | CDLK(F)32,42exploded view |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |


|                                                                                   |                                                      |              |                                     |
|-----------------------------------------------------------------------------------|------------------------------------------------------|--------------|-------------------------------------|
|  | <b>Performance Curve</b><br><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfang Pump Industry Co.,Ltd (CNP) |
|                                                                                   |                                                      | Address      | Hangzhou, Zhejiang, China           |
|                                                                                   |                                                      | Contact      | 86-571-88637351                     |
|                                                                                   |                                                      | Date         | 2025/02/04                          |
| Project Name                                                                      |                                                      | Client Name  | dieselpumpasia                      |
| Item NO                                                                           |                                                      | Client Addr. |                                     |
|                                                                                   |                                                      | Contacts     | dpa                                 |
|                                                                                   |                                                      | Contact      |                                     |




|                                                                                                   |                                                          |              |                                     |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------|-------------------------------------|
|  <b>CNP 南方泵业</b> | <b>Pump Technical Parameters</b><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfang Pump Industry Co.,Ltd (CNP) |
|                                                                                                   |                                                          | Address      | Hangzhou, Zhejiang, China           |
|                                                                                                   |                                                          | Contact      | 86-571-88637351                     |
|                                                                                                   |                                                          | Date         | 2025/02/04                          |
| <b>Project Name</b>                                                                               |                                                          | Client Name  | dieselpumpasia                      |
|                                                                                                   |                                                          | Client Addr. |                                     |
| <b>Item NO</b>                                                                                    |                                                          | Contacts     | dpa                                 |
|                                                                                                   |                                                          | Contact      |                                     |

| Rated parameters           |               |  |  |
|----------------------------|---------------|-------------------------------------------------------------------------------------|--|
| Pump model                 | CDLK42-20/2-2 |                                                                                     |  |
| Part NO.                   | 1100057226    |                                                                                     |  |
| Rated flow                 | 42 m³/h       |                                                                                     |  |
| Rated head                 | 32 m          |                                                                                     |  |
| Rated efficiency           | 71 (%)        |                                                                                     |  |
| Power (kW)                 | 5.16 kW       |                                                                                     |  |
| NPSHr (m)                  | 3             |                                                                                     |  |
| Speed (rpm)                | 2900          |                                                                                     |  |
| Max impeller diameter (mm) | 136           |                                                                                     |  |
| Medium                     |               |                                                                                     |  |
| Pumped medium              | Clean Water   |                                                                                     |  |
| Working temperature (°C)   | 20            |                                                                                     |  |
| Medium density (kg/m³)     | 1000          |                                                                                     |  |
| Viscosity (mm²/s)          | 1             |                                                                                     |  |

|                                                                                                   |                                                      |              |                                     |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------|-------------------------------------|
|  <b>CNP 南方泵业</b> | <b>Dimension Drawing</b><br><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfeng Pump Industry Co.,Ltd (CNP) |
|                                                                                                   |                                                      | Address      | Hangzhou, Zhejiang, China           |
|                                                                                                   |                                                      | Contact      | 86-571-88637351                     |
|                                                                                                   |                                                      | Date         | 2025/02/04                          |
| Project Name                                                                                      |                                                      | Client Name  | dieselpumpasia                      |
| Item NO                                                                                           |                                                      | Client Addr. |                                     |
|                                                                                                   |                                                      | Contacts     | dpa                                 |
|                                                                                                   |                                                      | Contact      |                                     |



|                                                                                                   |                                              |              |                                     |
|---------------------------------------------------------------------------------------------------|----------------------------------------------|--------------|-------------------------------------|
|  <b>CNP 南方泵业</b> | <b>Explosed view</b><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfeng Pump Industry Co.,Ltd (CNP) |
|                                                                                                   |                                              | Address      | Hangzhou, Zhejiang, China           |
|                                                                                                   |                                              | Contact      | 86-571-88637351                     |
|                                                                                                   |                                              | Date         | 2025/02/04                          |
| Project Name                                                                                      |                                              | Client Name  | dieselpumpasia                      |
| Item NO                                                                                           |                                              | Client Addr. |                                     |
|                                                                                                   |                                              | Contacts     | dpa                                 |
|                                                                                                   |                                              | Contact      |                                     |



**E-CDLK(F)32, 42-090101**

|                                                                                                   |                                                 |              |                                     |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------|-------------------------------------|
|  <b>CNP 南方泵业</b> | <b>Physical picture</b><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfang Pump Industry Co.,Ltd (CNP) |
|                                                                                                   |                                                 | Address      | Hangzhou, Zhejiang, China           |
|                                                                                                   |                                                 | Contact      | 86-571-88637351                     |
|                                                                                                   |                                                 | Date         | 2025/02/04                          |
|                                                                                                   |                                                 | Client Name  | dieselpumpasia                      |
| <b>Project Name</b>                                                                               |                                                 | Client Addr. |                                     |
| <b>Item NO</b>                                                                                    |                                                 | Contacts     | dpa                                 |
|                                                                                                   |                                                 | Contact      |                                     |



|                                                                                                   |                                           |              |                                     |
|---------------------------------------------------------------------------------------------------|-------------------------------------------|--------------|-------------------------------------|
|  <b>CNP 南方泵业</b> | <b>Order Data</b><br><b>CDLK42-20/2-2</b> | Manufacturer | Nanfang Pump Industry Co.,Ltd (CNP) |
|                                                                                                   |                                           | Address      | Hangzhou, Zhejiang, China           |
|                                                                                                   |                                           | Contact      | 86-571-88637351                     |
|                                                                                                   |                                           | Date         | 2025/02/04                          |
|                                                                                                   |                                           | Client Name  | dieselpumpasia                      |
| <b>Project Name</b>                                                                               |                                           | Client Addr. |                                     |
| <b>Item NO</b>                                                                                    |                                           | Contacts     | dpa                                 |
|                                                                                                   |                                           | Contact      |                                     |

Pump model                      CDLK42-20/2-2  
Part NO.                            1100057226  
Product price  
Quantity                            1  
Total price

Inquiry notes