

	Product Information CDMF3-21+CMH3-31	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Part NO.	1100109123
Product Picture: (Note: Images may not be the same as the product)	Note
	CDMF+CMH series is a new generation of high-efficiency non-self-priming high-pressure pump independently developed with reference to European standards. The product adopts a new industrial design, and the energy efficiency index reaches MEI ≥0.7, which has the characteristics of energy saving, low noise, environmental protection and compact structure, beautiful appearance, light weight, convenient use and maintenance, and high reliability.
Nameplate parameters Flow 3 m³/h Head 310.2 m Efficiency 58 % Speed 2900 rpm Number of stages 21 Technology Pump rotator speed 2900 Material Impeller 304 Rubber code P Material Code S Installation Connection Code K Installation type card cover Maximum Operation Pressure 50bar Medium Medium Temperature normal temperature -15°C+70°C Medium Temperature high temperature -15°C+120°C Maximum Environment Temperature 40°C Structure dimension Inlet & outlet size types DN Inlet & Outlet Diameter DN32 Rotation Direction CDMF rotates anti-clockwise viewing from motor side and CMH rotates clockwise. Motor Number of Motor Phase Three Phase Protection Class IP55 Insulation Class F Motor Power(kW) 2.2+3KW Energy Efficiency Level IE3 Seal Mechanical Seal CDLA-12/WB1F14	

 CNP 南方泵业	Product Information CDMF3-21+CMH3-31	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Others


Weight (kg) 140

Structure dimension


Expolded view CMH1,3,5exploded view

 CNP 南方泵业	Performance Curve CDMF3-21+CMH3-31	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	


The hydraulic performance curve have been tested with Clean Water at 20°C, density 1000kg/m³, and at 1bar atmospherical pressure. ISO99062012 Grade 3B




 CNP 南方泵业	Pump Technical Parameters CDMF3-21+CMH3-31	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
		Client Addr.	
Item NO		Contacts	dpa
		Contact	



	Dimension Drawing CDMF3-21+CMH3-31	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	



 CNP 南方泵业	Explosed view CDMF3-21+CMH3-31	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	dieselpumpasia
Item NO		Client Addr.	
		Contacts	dpa
		Contact	



 CNP 南方泵业	Physical picture CDMF3-21+CMH3-31	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	



 CNP 南方泵业	Order Data CDMF3-21+CMH3-31	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	dieselpumpasia
Project Name		Client Addr.	
Item NO		Contacts	dpa
		Contact	

Pump model CDMF3-21+CMH3-31
Part NO. 1100109123
Product price
Quantity 1
Total price

Inquiry notes