

 CNP 南方泵业	Product Information CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	abo energy parseh
Project Name		Client Addr.	iran, kish, hadish
Item NO		Contacts	siri
		Contact	+987644467770

Part NO.	1100236701
----------	------------

Product Picture: (Note: Images may not be the same as the product)	Note
	Non-self-priming horizontal multistage centrifugal pump, impeller guide vane is made of stainless steel plate stamping and welding, with long shaft motor, axial inlet and radial outlet. Compact structure; Low noise; Suitable for mildly corrosive liquids; Small installation space.

Nameplate parameters

Flow	2 m³/h
Head	22 m
Efficiency	41 %
Speed	2900 rpm
Number of stages	3

Technology

Pump rotator speed	2900
Pump version	2

Material

Impeller	304
Rubber code	P
Material Code	S

Installation

Connection Code	L
Installation type	horizontal
Maximum Pressure/Temperature (high temperature)	10 bar
Maximum Pressure/Temperature (low temperature)	10 bar

Medium

Medium Temperature normal temperature	-15°C~+70°C
Medium Temperature high temperature	-15°C~+105°C
Maximum Environment Temperature	40°C

Structure dimension


Inlet Bore	G1
Outlet Diameter	G1
Rotation Direction	Clockwise

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	0.37KW
Power Frequency(Hz)	50
Rated Voltage (V)	380V
Energy Efficiency Level	IE3


	Performance Curve CHLF2-30	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	abo energy parseh
Item NO		Client Addr.	iran, kish, hadish
		Contacts	siri
		Contact	+987644467770

The hydraulic performance curve have been tested with Clean Water at 20°C, density 1000kg/m³, and at 1bar atmospherical pressure. ISO99062012 Grade 3B




 CNP 南方泵业	Pump Technical Parameters CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	abo energy parseh
		Client Addr.	iran, kish, hadish
Item NO		Contacts	siri
		Contact	+987644467770


Rated parameters	
Pump model	CHLF2-30
Part NO.	1100236701
Rated flow	2 m³/h
Rated head	22 m
Rated efficiency	41 (%)
Power (kW)	0.29 kW
NPSHr (m)	2
Speed (rpm)	2900
Max impeller diameter (mm)	90
Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



 CNP 南方泵业	Dimension Drawing CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	abo energy parseh
Item NO		Client Addr.	iran, kish, hadish
		Contacts	siri
		Contact	+987644467770



 CNP 南方泵业	Explosed view CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
Project Name		Client Name	abo energy parseh
Item NO		Client Addr.	iran, kish, hadish
		Contacts	siri
		Contact	+987644467770



 CNP 南方泵业	Physical picture CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	abo energy parseh
Project Name		Client Addr.	iran, kish, hadish
Item NO		Contacts	siri
		Contact	+987644467770



 CNP 南方泵业	Order Data CHLF2-30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/02/04
		Client Name	abo energy parseh
Project Name		Client Addr.	iran, kish, hadish
Item NO		Contacts	siri
		Contact	+987644467770

Pump model CHLF2-30
Part NO. 1100236701
Product price
Quantity 1
Total price

Inquiry notes