

 CNP 南方泵业	Product Information SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Part NO.	1100052285		
Product Picture: (Note: Images may not be the same as the product)		Note	
		Stainless steel multi-stage submersible pump is equipped with a submersible motor which can replace traditional long axis Deep-well pump.The pump is also equipped with a check valve to protect itself from reflux and water hammer.	

Nameplate parameters

Flow	60 m ³ /h
Head	85 m
Efficiency	72 %
Speed	2850 rpm
Number of stages	11

Material

Impeller	304
Material Code	F

Installation

Operation Pressure	29bar
Maximum Immersion Depth	70m
Maximum Operation Pressure	38bar

Medium

Medium Temperature	15~40°C
Medium PH Value	6.5~8.5
Liquid Temperature Range	+25°C

Structure dimension

Rotation Direction	Anti-clockwise rotation viewing from outlet
Explosed view	SJ42,60exploded view


Motor

Number of Motor Phase	Three Phase
Protection Class	IP68
Insulation Class	F
Motor Power(kW)	22KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380

Others

Weight (kg)	123
-------------	-----

	Performance Curve SJ60-11	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	




 CNP 南方泵业	Pump Technical Parameters SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	SJ60-11
Part NO.	1100052285
Rated flow	60 m³/h
Rated head	85 m
Rated efficiency	72 (%)
Power (kW)	19.3 kW
Speed (rpm)	2850
Max impeller diameter (mm)	105
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1


The image displays three performance graphs for the SJ60-11 pump, plotted against flow rate (Q) in m³/h on the x-axis, ranging from 0 to 70.

- Head (H) vs Flow (Q):** The top graph shows the head curve starting at approximately 152 m at 0 m³/h and decreasing to about 55 m at 70 m³/h. The rated head of 85 m is indicated at the rated flow of 60 m³/h.
- Power (P) vs Flow (Q):** The middle graph shows the power curve starting at approximately 15.0 kW at 0 m³/h, peaking at about 19.3 kW around 55 m³/h, and then slightly decreasing to about 18.5 kW at 70 m³/h. The rated power of 19.3 kW is indicated at the rated flow of 60 m³/h.
- Efficiency (η) vs Flow (Q):** The bottom graph shows the efficiency curve starting at 0% at 0 m³/h, peaking at about 75% around 55 m³/h, and then decreasing to about 60% at 70 m³/h. The rated efficiency of 72% is indicated at the rated flow of 60 m³/h.

 CNP 南方泵业	Dimension Drawing SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Explosed view SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



E-SJ 42, 60-151103

 CNP 南方泵业	Physical picture SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data SJ60-11	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model SJ60-11
Part NO. 1100052285
Product price
Quantity 1
Total price

Inquiry notes