

 CNP 南方泵业	Product Information SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Part NO.	1100050903
Product Picture: (Note: Images may not be the same as the product)	Note
	Stainless steel multi-stage submersible pump is equipped with a submersible motor which can replace traditional long axis Deep-well pump.The pump is also equipped with a check valve to protect itself from reflux and water hammer.

Nameplate parameters

Flow	8 m ³ /h
Head	27 m
Efficiency	56 %
Speed	2850 rpm
Number of stages	7

Material

Impeller	304
Material Code	F

Installation

Operation Pressure	27bar
Maximum Immersion Depth	70m
Maximum Operation Pressure	38bar

Medium

Medium Temperature	15~40°C
Medium PH Value	6.5~8.5
Liquid Temperature Range	+25°C

Structure dimension

Rotation Direction	Anti-clockwise rotation viewing from outlet
Explosed view	SJ8exploded view

Motor


Number of Motor Phase	Three Phase
Protection Class	IP68
Insulation Class	F
Motor Power(kW)	1.1KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380

Others

Weight (kg)	19
-------------	----

 CNP 南方泵业	Performance Curve SJ8-7	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

The hydraulic performance curve have been tested with water at 20°C, density 1000kg/m³, and at 1bar atmospherical pressure. ISO99062012 Grade 3B




 CNP 南方泵业	Pump Technical Parameters SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	SJ8-7
Part NO.	1100050903
Rated flow	8 m³/h
Rated head	27 m
Rated efficiency	56 (%)
Power (kW)	1.05 kW
Speed (rpm)	2850
Max impeller diameter (mm)	75
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1


The image displays three performance graphs for the SJ8-7 pump, plotted against flow rate Q in m^3/h on the x-axis (ranging from 0 to 10).

- Head H (m) vs Flow Q (m^3/h):** The head decreases as flow increases, starting at approximately 42 m at 0 m^3/h and reaching about 15 m at 10 m^3/h .
- Power P (kW) vs Flow Q (m^3/h):** The power increases with flow, peaking at approximately 0.95 kW around 8 m^3/h , and then slightly decreasing to about 0.82 kW at 10 m^3/h .
- Efficiency η (%) vs Flow Q (m^3/h):** The efficiency increases with flow, peaking at approximately 60% around 8 m^3/h , and then slightly decreasing to about 56% at 10 m^3/h .

 CNP 南方泵业	Dimension Drawing SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Explosed view SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



E-SJ 8-151103

 CNP 南方泵业	Physical picture SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data SJ8-7	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/30
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model SJ8-7
Part NO. 1100050903
Product price
Quantity 1
Total price

Inquiry notes