

 CNP 南方泵业	Product Information ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Part NO.	1100338210
Product Picture: (Note: Images may not be the same as the product)	Note
	ZMZSIS

Nameplate parameters

Flow	160 m ³ /h
Head	48.5 m
Efficiency	84 %
Speed	2950 rpm

Technology

Pump rotator speed	2950
--------------------	------

Material

Impeller	304
Rubber code	P
Material Code	S

Installation

Maximum Operation Pressure	10bar
Maximum Altitude	1000m

Medium

Maximum Environment Temperature	40°C
Liquid Temperature Range	-20°C~100°C

Structure dimension

Rotation Direction	Clockwise rotation viewed from motor end
Expolded view	ZM

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	30KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380V
Rated Current (A)	54.9
Energy Efficiency Level	IE3


Seal

Mechanical Seal	ZS-32/BSE4
-----------------	------------

Others


Weight (kg)	310
-------------	-----

 CNP 南方泵业	Performance Curve ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	




 CNP 南方泵业	Pump Technical Parameters ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	ZM100-80-200/30
Part NO.	1100338210
Rated flow	160 m³/h
Rated head	48.5 m
Eta	84 (%)
Power (kW)	25.2 kW
NPSHr (m)	3.9
Speed (rpm)	2950
Max impeller diameter (mm)	202
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1




Flow Q (m³/h)	Head H (m)	Power P (kW)	Efficiency η (%)	NPSH (m)
0	62	10	10	2.5
60	60	16	65	2.5
120	55	22	80	3.0
160	48.5	25.2	84	3.9
180	45	27	83	4.5
200	42	28	82	5.5

	Dimension Drawing ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



 CNP 南方泵业	Explosed view ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Physical picture ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data ZM100-80-200/30	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/11/04
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model ZM100-80-200/30

Part NO. 1100338210

Product price

Quantity 1

Total price

Inquiry notes