


 CNP 南方泵业	Product Information NISF300-250-400(Q)/160	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	


Part NO.	1100296137
Product Picture: (Note: Images may not be the same as the product)	Note
	Non-self-priming single-stage horizontal end-suction centrifugal pump with axial inlet and radial outlet,using pull-back structure, no need to dismantle the pump body and pipeline for maintenance, using direct connection and extended shaft structure, the pump is small in size, compact in structure and simple in installation.
Technology	
Pump rotator speed	1480
Material	
Pump body	304
Pump cover	304
Impeller	304
Pump shaft	304
Rubber code	P
Material Code	F
Installation	
Maximum Operation Pressure	16bar
Maximum Inlet Pressure	6bar
Medium	
Medium Temperature	-15°C~110°C
Inlet & outlet size types	DN
Inlet Bore	300
Outlet Diameter	250
Rotation Direction	Anti-clockwise rotation viewing from inlet
Expolded view	NISF exploded view
Motor	
Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	160KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380V
Rated Current (A)	285
Energy Efficiency Level	IE3
Seal	
Mechanical Seal	NISO-60/BSE4
Others	
Weight (kg)	1777

 CNP 南方泵业	Performance Curve NISF300-250-400(Q)/160	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
Item NO		Client Addr.	
		Contacts	WEPKO
		Contact	


The hydraulic performance curve have been tested with water at 20°C, density 1000kg/m³,and at 1bar at mospherical pressure.
 ISO99062012 Grade 3B



	Pump Technical Parameters NISF300-250-400(Q)/160	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Rated parameters		
Pump model	NISF300-250-400(Q)/160	
Part NO.	1100296137	
Rated flow	800 m³/h	
Rated head	53 m	
Rated Eta	83.5 %	
Rated Power	138 kW	
NPSHr	4 m	
Speed	1480 rpm	
Max impeller diameter	424 mm	
Medium		
Pumped medium	water	
Working temperature	20 °C	
Medium density	1000 kg/m³	
Viscosity	1 mm²/s	

 CNP 南方泵业	Expolded view NISF300-250-400(Q)/160	Manufacturer	Nanfng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
Item NO		Client Addr.	
		Contacts	WEPKO
		Contact	



 CNP 南方泵业	Physical picture NISF300-250-400(Q)/160	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	



 CNP 南方泵业	Order Data NISF300-250-400(Q)/160	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2026/10/20
Project Name		Client Name	
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Pump model NISF300-250-400(Q)/160
Part NO. 1100296137
Product price
Quantity 1
Total price

Inquiry notes