

 CNP 南方泵业	Product Information CDL32-10	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Part NO.	1100013042
Product Picture: (Note: Images may not be the same as the product)	Note
	Non-self-priming vertical multistage centrifugal pump, the motor shaft through the coupling shaft is coupled directly to the impeller vanes made of stainless steel plate stamping and welding or precision casting made of stainless steel, the pump inlet and outlet of the pump bottom at the same line (it can be equipped with IEC or NEMA motors).

Nameplate parameters

Flow	32 m³/h
Head	13 m
Efficiency	68.2 %
Speed	2900 rpm

Technology

Pump rotator speed	2900
Nameplate standards	CE
Pump version	2

Material

Impeller	304
Rubber code	P
Inlet&outlet chamber	304
Material Code	S

Installation

Connection Code	F
Maximum Pressure/Temperature (high temperature)	30 bar / 120 °C
Maximum Pressure/Temperature (low temperature)	30 bar / -15 °C
Flange Standard	DIN
Pressure Class	PN25-40
Inlet & outlet	DN65

Medium

Medium Temperature normal temperature	-15°C+70°C
Medium Temperature high temperature	-15°C+120°C
Maximum Environment Temperature	40°C

Structure dimension

Expolded view	CDL(F)32,42,65,85
---------------	-------------------

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	2.2KW
Motor model	
Power Frequency(Hz)	50HZ
Rated Voltage (V)	220

 CNP 南方泵业	Product Information CDL32-10	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Motor

Rated Current (A) 7.9/4.6
Energy Efficiency Level IE3


Seal

Mechanical Seal CDLA-22/WB1F14


Others

Weight (kg) 68


 CNP 南方泵业	Performance Curve CDL32-10	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	WEPKO
		Contact	




 CNP 南方泵业	Pump Technical Parameters CDL32-10	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Rated parameters		
Pump model	CDL32-10	
Part NO.	1100013042	
Rated flow	32 m³/h	
Rated head	13 m	
Rated efficiency	68.2 (%)	
Power (kW)	1.66 kW	
NPSHr (m)	2	
Speed (rpm)	2900	
Max impeller diameter (mm)	118	
Medium		
Pumped medium	water	
Working temperature (°C)	20	
Medium density (kg/m³)	1000	
Viscosity (mm²/s)	1	

 CNP 南方泵业	Dimension Drawing CDL32-10	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	WEPKO
		Contact	



 CNP 南方泵业	Explosed view CDL32-10	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	WEPKO
		Contact	



E-CDL(F)32, 42, 65, 85-240705

 CNP 南方泵业	Physical picture CDL32-10	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	



 CNP 南方泵业	Order Data CDL32-10	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/08/19
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	WEPKO
		Contact	

Pump model CDL32-10
Part NO. 1100013042
Product price
Quantity 1
Total price

Inquiry notes