


 CNP 南方泵业	Product Information ZS65-50-125/6 4.0	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/01
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	


Part NO.	1100042821
Product Picture: (Note: Images may not be the same as the product)	Note
	Stainless steel horizontal single-stage centrifugal pump, the pump body is made of stainless steel plate stamping and expansion welding process, which can replace the traditional IS pump and general corrosion-resistant pump, with axial inlet and radial outlet.
Nameplate parameters	
Flow	50 m³/h
Head	18 m
Efficiency	70 %
Speed	3450 rpm
Technology	
Pump rotator speed	3450
Nameplate standards	CE
Material	
Impeller	304
Rubber code	p
Material Code	S
Installation	
Maximum Operation Pressure	10bar
Maximum Altitude	1000m
Medium	
Maximum Environment Temperature	40°C
Liquid Temperature Range	-20°C+100°C
Structure dimension	
Expolded view	ZS exploded view
Motor	
Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	4KW
Power Frequency(Hz)	60HZ
Rated Voltage (V)	380V
Rated Current (A)	8.0A
Energy Efficiency Level	IE2
Seal	
Mechanical Seal	ZS-24/BSE4
Others	
Weight (kg)	54

 CNP 南方泵业	Performance Curve ZS65-50-125/6 4.0	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/01
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Pump Technical Parameters ZS65-50-125/6 4.0	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/01
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	ZS65-50-125/6 4.0
Part NO.	1100042821
Rated flow	50 m³/h
Rated head	18 m
Rated efficiency	70 (%)
Power (kW)	3.5 kW
NPSHr (m)	3.5
Speed (rpm)	3450
Max impeller diameter (mm)	120
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



Q (m³/h)	H (m)
0	25.0
10	24.8
20	24.0
30	22.5
40	20.5
50	17.5
60	14.0

Q (m³/h)	P (kW)
0	1.4
10	1.6
20	2.0
30	2.4
40	2.8
50	3.2
60	3.5

Q (m³/h)	η (%)
0	30
10	45
20	60
30	68
40	70
50	68
60	65

Q (m³/h)	NPSH (m)
0	2.0
10	2.1
20	2.2
30	2.3
40	2.5
50	2.8
60	3.5

 CNP 南方泵业	Physical picture ZS65-50-125/6 4.0	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/01
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data ZS65-50-125/6 4.0	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/01
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model ZS65-50-125/6 4.0

Part NO. 1100042821

Product price

Quantity 1

Total price

Inquiry notes