

 CNP 南方泵业	Product Information CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Part NO.	1100104902
Product Picture: (Note: Images may not be the same as the product)	Note
	CDM/CDMF pumps are new generation, high efficiency, non-self-priming vertical multistage centrifugal pumps (Abbr. as pumps). It referred to European standard, adopted entirely new industrial design, efficiency achieved MEI≥0.7. It is energy saving, low noise, environment friendly, compact design, beautiful shape, light weight, easy for service, high reliability.

Nameplate parameters

Flow	32 m ³ /h
Head	210 m
Efficiency	68.5 %
Speed	2900 rpm
Number of stages	15

Technology

Pump rotator speed	2900
Nameplate standards	CE
Pump version	2

Material

Impeller	304
Rubber code	P
Inlet&outlet chamber	304
Material Code	S

Installation

Connection Code	F
Maximum Pressure/Temperature (high temperature)	30 bar / 120 °C
Maximum Pressure/Temperature (low temperature)	30 bar / -15 °C
Flange Standard	DIN
Pressure Class	PN25-40
Inlet & outlet	DN65

Medium

Medium Temperature normal temperature	-15°C+70°C
Medium Temperature high temperature	-15°C+120°C
Maximum Environment Temperature	40°C

Structure dimension

Model picture	F Flange
Expolded view	CDMF32,42,65

 CNP 南方泵业	Product Information CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	30KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380V
Rated Current (A)	54.9A
Energy Efficiency Level	IE3


Seal

Mechanical Seal	CDLA-22/WB1F14
-----------------	----------------

Others

Weight (kg)	345
-------------	-----

	Performance Curve CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	




 CNP 南方泵业	Pump Technical Parameters CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	CDM32-15
Part NO.	1100104902
Rated flow	32 m³/h
Rated head	210 m
Rated efficiency	68.5 (%)
Power (kW)	26.8 kW
NPSHr (m)	2
Speed (rpm)	2900
Max impeller diameter (mm)	118
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1

The figure displays four performance curves for the CDM32-15 pump, plotted against the flow rate Q in m^3/h on the x-axis (ranging from 0 to 40). The y-axes represent Head H in meters, Power P in kW, Efficiency η in %, and Net Positive Suction Head NPSH in meters.


- Head H (m) vs Q (m^3/h):** The head decreases as flow increases, starting at approximately 290 m at $Q=0$ and reaching about 160 m at $Q=40$.
- Power P (kW) vs Q (m^3/h):** The power increases with flow, starting at approximately 12.5 kW at $Q=0$ and reaching about 28 kW at $Q=40$.
- Efficiency η (%) vs Q (m^3/h):** The efficiency starts at 0% at $Q=0$, peaks at approximately 85% around $Q=25$, and then slightly decreases to about 75% at $Q=40$.
- NPSH (m) vs Q (m^3/h):** The required NPSH is relatively low, starting at approximately 1 m at $Q=0$, dipping slightly to about 0.8 m around $Q=20$, and then increasing to about 6 m at $Q=40$.

 CNP 南方泵业	Dimension Drawing CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



CDMF32-15FSWSC

 CNP 南方泵业	Explosed view CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



Drawing 1-I CDMF32, 42, 65-240704

 CNP 南方泵业	Physical picture CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data CDM32-15	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/08
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model CDM32-15
Part NO. 1100104902
Product price
Quantity 1
Total price

Inquiry notes