

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

Item n° : Customer pos. no.:
505939622

Model :
DPH 180/280.50 T

Pump data

Pressure rating : PN 10
Min. fluid temperature : -10 °C
Max. fluid temperature : 110 °C

Minimum suction head :

Temperature	°C	75	90	110	120
Minimum suction head :	m	2	5	--	20

Requested data

Flow :
Head :
Fluid (%) :
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure : 0,34 psi

Hydraulic data (duty point)



Flow :
Head :

Materials

Pump body	Cast iron 200 UNI ISO 185
Impeller	Technopolymer B
Motor shaft	AISI 420 C
Air vent plug	Brass P Cu Zn40 Pb2 UNI 5705
Seal ring	Ethylene propylene (EPDM)
Motor casing	Die cast aluminium
Stator jacket	AISI 321Bon. - AISI 304

Curve tolerance according to ISO 9906

Number of working motors : 1



Motor data

Motor brand : DAB
Max. Power input P1 : 1 X 1,629 kW
Rated speed : 2.830 1/min
Rated voltage : 3~ 400 V 50 Hz
Nominal current : 1 X 3 A
Degree of protection : IP 44

Dimensions in mm

A	18	D	165	D4	50	I	240
B	358	D1	125	H	556	I1	120
B1	73	D2	110	H1	278	I2	120
B2	285	D3	90	H2	278	I3	120

Weight : 49 kg

Pump connection

Suction side : DN 50 / PN 10
Discharge side : DN 50 / PN 10

Receiver


From

Company
Reference
Address
Phone
Fax
E-mail

DPH 180/280.50 T

Number of working motors : 1

Curve tolerance according to ISO 9906



Suction side :

DN 50

PN 10

Discharge side :

DN 50

PN 10

Flow :

Head :

Rated speed :

2.830 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

2025-08-04



DIMENSIONAL DRAWING

2025-08-04

Page 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

DPH 180/280.50 T



Dimensions in mm

Pump connection

1	A	18	H2	278				
2	B	358	I	240				Suction
3	B1	73	I1	120				DN 50
4	B2	285	I2	120				PN 10
5	D	165	I3	120				
6	D1	125	L	280				Discharge
7	D2	110	L1	130				DN 50
8	D3	90	L2	150				PN 10
9	D4	50	M	M14				
10	H	556						
11	H1	278						

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

2025-08-04