

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

Item n° :
505978122

Customer pos. no.:

Model :

DPH 150/360.80 T

Pump data

Pressure rating : PN 10
Min. fluid temperature : -10 °C
Max. fluid temperature : 110 °C

Minimum suction head :

Temperature	°C	75	90	110	120
Minimum suction head :	m	7	11	18	--

Requested data

Flow :
Head :
Fluid (%) :
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure : 0,34 psi

Hydraulic data (duty point)



Flow :
Head :

Materials

Pump body	Cast iron 200 UNI ISO 185
Impeller	Technopolymer B
Motor shaft	AISI 420 C
Air vent plug	Brass P Cu Zn40 Pb2 UNI 5705
Seal ring	Ethylene propylene (EPDM)
Motor casing	Die cast aluminium
Stator jacket	AISI 321Bon. - AISI 304

Curve tolerance according to ISO 9906

Number of working motors : 1



Motor data

Motor brand : DAB
Max. Power input P1 : 1 X 2,869 kW
Rated speed : 2.710 1/min
Rated voltage : 3~ 400 V 50 Hz
Nominal current : 1 X 4,64 A
Degree of protection : IP 44

Dimensions in mm

A	18	D	200	D4	80	I	240
B	390	D1	160	H	480	I1	120
B1	97	D2	150	H1	240	I2	120
B2	298	D3	130	H2	240	I3	150

Weight : 73 kg

Pump connection

Suction side : DN 80 / PN 10
Discharge side : DN 80 / PN 10

Receiver


From

Company
Reference
Address
Phone
Fax
E-mail

DPH 150/360.80 T

Number of working motors : 1

Curve tolerance according to ISO 9906



Suction side :

DN 80

PN 10

Discharge side :

DN 80

PN 10

Flow :

Head :

Rated speed :

2.710 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

2025-07-20



DIMENSIONAL DRAWING

2025-07-20

Page 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

DPH 150/360.80 T



Dimensions in mm

Pump connection

1	A	18	H2	240				
2	B	390	I	240				
3	B1	97	I1	120				Suction
4	B2	298	I2	120				DN 80
5	D	200	I3	150				PN 10
6	D1	160	L	360				
7	D2	150	L1	160				Discharge
8	D3	130	L2	200				DN 80
9	D4	80	M	M14				PN 10
10	H	480						
11	H1	240						

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

2025-07-20