



 CNP 南方泵业	Product Information TD150-30.5/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Golsa
		Contact	

Part NO.	1100325746														
Product Picture: (Note: Images may not be the same as the product)	Note														
	Single-stage vertical pipeline circulating pump, the pump inlet and outlet are on the same line at the bottom of the pump, and the product is designed to be pulled out of the top in the form of disassembly, which can be used to repair the pump without affecting the pipeline system. Compact, easy to maintain, low noise, optional cast iron or stainless steel impeller.														
Technology <table><tr><td>Pump rotator speed</td><td>1480</td></tr><tr><td>Pump version</td><td>Extension shaft</td></tr></table>		Pump rotator speed	1480	Pump version	Extension shaft										
Pump rotator speed	1480														
Pump version	Extension shaft														
Material <table><tr><td>Pump body</td><td>HT200</td></tr><tr><td>Impeller</td><td>HT200</td></tr><tr><td>Rubber code</td><td>NBR</td></tr></table>		Pump body	HT200	Impeller	HT200	Rubber code	NBR								
Pump body	HT200														
Impeller	HT200														
Rubber code	NBR														
Installation <table><tr><td>Connection Code</td><td>F</td></tr><tr><td>Maximum Operation Pressure</td><td>12bar</td></tr></table>		Connection Code	F	Maximum Operation Pressure	12bar										
Connection Code	F														
Maximum Operation Pressure	12bar														
Medium <table><tr><td>Medium Temperature</td><td>-15~110℃</td></tr></table>		Medium Temperature	-15~110℃												
Medium Temperature	-15~110℃														
Structure dimension <table><tr><td>Inlet & outlet size types</td><td>DN</td></tr><tr><td>Inlet & Outlet Diameter</td><td>150</td></tr><tr><td>Rotation Direction</td><td>Clockwise rotation viewed from motor end</td></tr><tr><td>Exploled view</td><td>TDexploded view</td></tr></table>		Inlet & outlet size types	DN	Inlet & Outlet Diameter	150	Rotation Direction	Clockwise rotation viewed from motor end	Exploled view	TDexploded view						
Inlet & outlet size types	DN														
Inlet & Outlet Diameter	150														
Rotation Direction	Clockwise rotation viewed from motor end														
Exploled view	TDexploded view														
Motor <table><tr><td>Number of Motor Phase</td><td>Three Phase</td></tr><tr><td>Protection Class</td><td>IP55</td></tr><tr><td>Insulation Class</td><td>F</td></tr><tr><td>Motor Power(kW)</td><td>37KW</td></tr><tr><td>Power Frequency(Hz)</td><td>50Hz</td></tr><tr><td>Rated Voltage (V)</td><td>380V</td></tr><tr><td>Energy Efficiency Level</td><td>IE3</td></tr></table>		Number of Motor Phase	Three Phase	Protection Class	IP55	Insulation Class	F	Motor Power(kW)	37KW	Power Frequency(Hz)	50Hz	Rated Voltage (V)	380V	Energy Efficiency Level	IE3
Number of Motor Phase	Three Phase														
Protection Class	IP55														
Insulation Class	F														
Motor Power(kW)	37KW														
Power Frequency(Hz)	50Hz														
Rated Voltage (V)	380V														
Energy Efficiency Level	IE3														
Seal <table><tr><td>Mechanical Seal</td><td>TD-40/BSE4</td></tr></table>		Mechanical Seal	TD-40/BSE4												
Mechanical Seal	TD-40/BSE4														
Others <table><tr><td>Weight (kg)</td><td>524</td></tr></table>		Weight (kg)	524												
Weight (kg)	524														


	Performance Curve TD150-30.5/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Golsa
		Contact	



 CNP 南方泵业	Pump Technical Parameters TD150-30.5/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Golsa
		Contact	

Rated parameters		
Pump model	TD150-30.5/4	
Part NO.	1100325746	
Rated flow	300 m³/h	
Rated head	30.5 m	
Rated efficiency	78.5 (%)	
Power (kW)	31.8 kW	
NPSHr (m)	4.5	
Speed (rpm)	1480	
Max impeller diameter (mm)	314	
Medium		
Pumped medium	water	
Working temperature (°C)	20	
Medium density (kg/m³)	1000	
Viscosity (mm²/s)	1	

 CNP 南方泵业	Explosed view TD150-30.5/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Golsa
		Contact	



E-TD32~TD150-080701 Extension shaft

 CNP 南方泵业	Physical picture TD150-30.5/4	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Golsa
		Contact	



 CNP 南方泵业	Order Data TD150-30.5/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/06/15
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Golsa
		Contact	

Pump model TD150-30.5/4

Part NO. 1100325746

Product price

Quantity 1

Total price

Inquiry notes