

 CNP 南方泵业	Product Information NISO100-65-200G/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Part NO.	1100360006
----------	------------

Product Picture: (Note: Images may not be the same as the product)	Note
	Non-self-priming single-stage horizontal end-suction centrifugal pump with axial inlet and radial outlet, The rear pull structure is adopted, and the pump body and pipeline are not dismantled for maintenance; The bearing frame is used to avoid axial channeling and improve the rigidity of the rotor components;

Technology

Pump rotator speed	1450
Nameplate standards	CE

Material

Pump body	QT500-7
Pump cover	HT200
Impeller	HT200
Pump shaft	20Cr13
Rubber code	P
Material Code	H

Installation

Type of coupling	coupling
Base type	Base
Maximum Operation Pressure	16bar
Maximum Inlet Pressure	6bar

Medium

Medium Temperature	-15°C~110°C
--------------------	-------------

Structure dimension

Inlet & outlet size types	DN
Inlet Bore	100
Outlet Diameter	65
Rotation Direction	Anti-clockwise rotation viewing from inlet
Exploled view	NISO exploded view

Motor

Number of Motor Phase	Three Phase
Protection Class	IP55
Insulation Class	F
Motor Power(kW)	4KW
Power Frequency(Hz)	50HZ
Rated Voltage (V)	380V
Rated Current (A)	8.4
Energy Efficiency Level	IE3

Seal


Mechanical Seal	NISO-43/BSE4
-----------------	--------------

Others

Weight (kg)	150
-------------	-----


 CNP 南方泵业	Performance Curve NISO100-65-200G/4	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	

The hydraulic performance curve have been tested with water at 20°C, density 1000kg/m³,and at 1bar atmospherical pressure. ISO99062012 Grade 3B



 CNP 南方泵业	Pump Technical Parameters NISO100-65-200G/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
Project Name		Client Name	WEPKO
		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Rated parameters	
Pump model	NISO100-65-200G/4
Part NO.	1100360006
Rated flow	50 m³/h
Rated head	17.5 m
Rated efficiency	72 (%)
Power (kW)	3.31 kW
NPSHr (m)	3
Speed (rpm)	1450
Max impeller diameter (mm)	221
Medium	
Pumped medium	water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1




Q (m³/h)	H (m)
0	17.0
10	18.0
20	18.5
30	18.2
40	17.8
50	17.0

Q (m³/h)	P (kW)
0	1.2
10	1.5
20	1.9
30	2.3
40	2.7
50	3.3

Q (m³/h)	η (%)
0	0
10	30
20	50
30	62
40	68
50	72

Q (m³/h)	NPSH (m)
0	2.8
10	2.8
20	2.8
30	2.8
40	2.9
50	3.0

	Explosed view NISO100-65-200G/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
Project Name		Client Name	WEPKO
Item NO		Client Addr.	
		Contacts	Wepko
		Contact	



 CNP 南方泵业	Physical picture NISO100-65-200G/4	Manufacturer	Nanfang Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	



 CNP 南方泵业	Order Data NISO100-65-200G/4	Manufacturer	Nanfeng Pump Industry Co.,Ltd (CNP)
		Address	Hangzhou, Zhejiang, China
		Contact	86-571-88637351
		Date	2025/07/14
		Client Name	WEPKO
Project Name		Client Addr.	
Item NO		Contacts	Wepko
		Contact	

Pump model NISO100-65-200G/4
Part NO. 1100360006
Product price
Quantity 1
Total price

Inquiry notes